

# 2SR &IRIJMX 2&) \*S

8]TI SJ ,MVI

7XYHIRX 67 ;78IQTSVEV] ,SYVP] 9

+VEHYEXI %WMMWXERX +% +8% +6%

0IGXYVIV 04 8IQTSVEV] 7EPEV] 9

)QTPS]II -RJSVQEXMSR

\*MVWX 2EQI

1MHHPI 2EQI SV -RMXMEP STXMSREP

0EWX 2EQI

;79 -( MJ EZEMPEFPI

)QEMP %HHVIWW

4SWMXMSR (ITEVXQIRX -RJSVQEXMSR

3VK 2YQFIV

(ITEVXQIRX 'SRXEGX \*MVWX ERH 0EWX 2EQI

(ITEVXQIRX 'SRXEGX )QEMP

7YTIVZMWSV \*MVWX ERH 0EWX 2EQI

(IWMVIH \*MVWX (E] SJ ;SVO

-RWXVYGXMSRW XS 'SQTPIXI 2

&EGOKVSYRH 'LIGO

(SIW XLMW TSWMXMSR VIUYMVI E FE  
&EGOKVSYRH 'LIGO (I)EWMXICMBJYVX  
KYMHERGI MW RIIHIH

=IW 2S

&EGOKVSYRH 'LIGO &MPPMRK 3VK

&EGOKVSYRH 'LIGO &MPPMRK \*YRH

97 )\TSVX 'SQTPMERGI 6IU

(SIW XLMW TSWMXMSR VIUYMVI ZEPM  
JSV 97 4IVWSR SV 97 'MXMVR# \:TSM  
'SRWMHIV(I)EWMXJ JYVXLIV KYMHE  
-J ]IW TPIEWI IRWYVI RI[ LMVI QIIXV

=IW 97 4IVWSR =IW 97 'MXM^

2S :EPMHEXMSR 6IUYMVIH

6IQSXI ;SVO

&EWIH SR XLI GVMXIV (I)E SXIX;FMRD IH Y  
+YMHERGI MW XLMW IQTPS]II VIUYM  
6IQSXI ;SVO 6JSVQ#X-J ]IW TPIEWI IR  
QSQTPM XIR F] XLI IQTPS]II

=IW XLI 6IQSXI 6IUUYIWX \*SVQ MW  
FI GSQTPIXIH F] XLI IQTPS]II

2S XLI 6IQSXI 6IUUYIWX \*SVQ MW

'SQQIRXW 4SWMXMSR 2YQ